


MODEL: CB650S-Spring 6V5AH



Container Color
 ■ Black C
 ■ Grey 3 C

Plane Chart:


Unit:(mm) Terminal type:(S1)




Parameter Chart:

| Volts | | 6V | |
|----------------------------------|----------------------------------|--------------------------------------------------------------|--|
| Capacity(25°C) | 20 hours rate (0.25A) | 5Ah | |
| Discharge Current Testing (25°C) | 1 hours rate (2.75A) | 2.75Ah | |
| | 3 hours rate (1.25A) | 3.75Ah | |
| Internal Resistance | Full Charged Battery 25°C | 100mΩ | |
| Capacity Affected By Temperature | 40°C | 104% | |
| | 25°C | 100% | |
| | 0°C | 83% | |
| | -15°C | 65% | |
| Residual Capacity (25°C) | Capacity After 3 Months Storage | 91% | |
| | Capacity After 6 Months Storage | 82% | |
| | Capacity After 12 Months Storage | 65% | |
| Charge (Constant Voltage) | Cycle (25°C) | Initial Charging Current Less Than 15A Voltage 7.25~7.45V | |
| | Float (25°C) | Charge Voltage 6.8~6.9V | |
| Weight±3% | | 0.81Kg | |

Residual Capacity



Discharge Current 25°C



★The above are average and data obtained from the first 3 charge/discharge cycles. These are not minimum values.